

Test Condition: HTHV Test Mode: RMC, HSDPA, HSUPA Test WCDMA Band: B1, B8

## Test Data

### Clause 4.2.2 WCDMA Transmitter maximum output power

Band	UL Channel	UL Frequency (MHz)	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
8	2712	882.4	23.22	20.3	25.7	PASS
8	2788	897.6	22.37	20.3	25.7	PASS
8	2863	912.6	22.71	20.3	25.7	PASS
1	9612	1922.4	23.60	20.3	25.7	PASS
1	9750	1950	22.45	20.3	25.7	PASS
1	9888	1977.6	23.78	20.3	25.7	PASS

### Clause 4.2.5 WCDMA Transmitter minimum output power


Band	UL Channel	UL Frequency(MHz)	Power (dBm)	Limit (dBm)	Verdict
8	2712	882.4	-54.86	-49	PASS
8	2788	897.6	-55.77	-49	PASS
8	2863	912.6	-55.25	-49	PASS
1	9612	1922.4	-54.68	-49	PASS
1	9750	1950	-55.57	-49	PASS
1	9888	1977.6	-54.19	-49	PASS

### Clause 4.2.12 WCDMA Transmitter Adjacent Channel Leakage power Ratio (ACLR)


Band	UL Channel	UL Frequency (MHz)	Offset (MHz)	Result (dBc)	Limit (dBc)	Verdict
8	2712	882.4	-10MHz	-57.73	-42.2	PASS
8	2712	882.4	-5MHz	-38.27	-32.2	PASS
8	2712	882.4	5MHz	-39.52	-32.2	PASS
8	2712	882.4	10MHz	-54.04	-42.2	PASS
8	2788	897.6	-10MHz	-54.39	-42.2	PASS
8	2788	897.6	-5MHz	-42.79	-32.2	PASS
8	2788	897.6	5MHz	-43.67	-32.2	PASS
8	2788	897.6	10MHz	-56.69	-42.2	PASS
8	2863	912.6	-10MHz	-54.67	-42.2	PASS
8	2863	912.6	-5MHz	-43.28	-32.2	PASS
8	2863	912.6	5MHz	-42.42	-32.2	PASS
8	2863	912.6	10MHz	-60.13	-42.2	PASS
1	9612	1922.4	-10MHz	-56.36	-42.2	PASS
1	9612	1922.4	-5MHz	-43.70	-32.2	PASS
1	9612	1922.4	5MHz	-44.54	-32.2	PASS
1	9612	1922.4	10MHz	-56.83	-42.2	PASS
1	9750	1950	-10MHz	-56.91	-42.2	PASS

1	9750	1950	-5MHz	-45.81	-32.2	PASS
1	9750	1950	5MHz	-45.32	-32.2	PASS
1	9750	1950	10MHz	-56.32	-42.2	PASS
1	9888	1977.6	-10MHz	-52.98	-42.2	PASS
1	9888	1977.6	-5MHz	-37.69	-32.2	PASS
1	9888	1977.6	5MHz	-40.27	-32.2	PASS
1	9888	1977.6	10MHz	-55.46	-42.2	PASS


Band8 Channel=2712.png




Band8 Channel=2788.png




Band8 Channel=2863.png




Band1 Channel=9612.png



Band1 Channel=9750.png



Band1 Channel=9888.png



### Clause 4.2.13 WCDMA Receiver Reference Sensitivity level

Band	Channel	Frequency(MHz)	Ref Sensitivity Level(dBm)	BER (%)	Limit (%)	Verdict
8	2712	882.4	-106	0.00	0.1	PASS
8	2788	897.6	-106	0.01	0.1	PASS
8	2863	912.6	-106	0.00	0.1	PASS
1	9612	1922.4	-106	0.00	0.1	PASS
1	9750	1950	-106	0.00	0.1	PASS
1	9888	1977.6	-106	0.00	0.1	PASS


### Clause 4.2.12 HSDPA Transmitter Adjacent Channel Leakage power Ratio (ACLR)

Band	UL Channel	UL Frequency (MHz)	Subtest	Offset (MHz)	Result (dBc)	Limit (dBc)	Verdict
1	9612	1922.4	Subtest1	-10MHz	-57.88	-42.2	PASS
1	9612	1922.4	Subtest1	-5MHz	-45.41	-32.2	PASS
1	9612	1922.4	Subtest1	5MHz	-45.56	-32.2	PASS
1	9612	1922.4	Subtest1	10MHz	-57.89	-42.2	PASS
1	9612	1922.4	Subtest2	-10MHz	-55.68	-42.2	PASS
1	9612	1922.4	Subtest2	-5MHz	-44.75	-32.2	PASS
1	9612	1922.4	Subtest2	5MHz	-45.12	-32.2	PASS
1	9612	1922.4	Subtest2	10MHz	-55.73	-42.2	PASS
1	9612	1922.4	Subtest3	-10MHz	-55.39	-42.2	PASS
1	9612	1922.4	Subtest3	-5MHz	-44.65	-32.2	PASS

1	9612	1922.4	Subtest3	5MHz	-44.82	-32.2	PASS
1	9612	1922.4	Subtest3	10MHz	-55.29	-42.2	PASS
1	9612	1922.4	Subtest4	-10MHz	-54.69	-42.2	PASS
1	9612	1922.4	Subtest4	-5MHz	-43.54	-32.2	PASS
1	9612	1922.4	Subtest4	5MHz	-43.92	-32.2	PASS
1	9612	1922.4	Subtest4	10MHz	-54.60	-42.2	PASS
1	9750	1950	Subtest1	-10MHz	-56.67	-42.2	PASS
1	9750	1950	Subtest1	-5MHz	-45.90	-32.2	PASS
1	9750	1950	Subtest1	5MHz	-46.55	-32.2	PASS
1	9750	1950	Subtest1	10MHz	-55.90	-42.2	PASS
1	9750	1950	Subtest2	-10MHz	-54.57	-42.2	PASS
1	9750	1950	Subtest2	-5MHz	-45.42	-32.2	PASS
1	9750	1950	Subtest2	5MHz	-45.68	-32.2	PASS
1	9750	1950	Subtest2	10MHz	-54.00	-42.2	PASS
1	9750	1950	Subtest3	-10MHz	-53.55	-42.2	PASS
1	9750	1950	Subtest3	-5MHz	-45.20	-32.2	PASS
1	9750	1950	Subtest3	5MHz	-45.52	-32.2	PASS
1	9750	1950	Subtest3	10MHz	-52.91	-42.2	PASS
1	9750	1950	Subtest4	-10MHz	-54.19	-42.2	PASS
1	9750	1950	Subtest4	-5MHz	-45.01	-32.2	PASS
1	9750	1950	Subtest4	5MHz	-45.47	-32.2	PASS
1	9750	1950	Subtest4	10MHz	-53.65	-42.2	PASS
1	9888	1977.6	Subtest1	-10MHz	-55.69	-42.2	PASS
1	9888	1977.6	Subtest1	-5MHz	-41.59	-32.2	PASS
1	9888	1977.6	Subtest1	5MHz	-43.47	-32.2	PASS
1	9888	1977.6	Subtest1	10MHz	-57.77	-42.2	PASS
1	9888	1977.6	Subtest2	-10MHz	-54.01	-42.2	PASS
1	9888	1977.6	Subtest2	-5MHz	-40.02	-32.2	PASS
1	9888	1977.6	Subtest2	5MHz	-41.81	-32.2	PASS
1	9888	1977.6	Subtest2	10MHz	-55.40	-42.2	PASS
1	9888	1977.6	Subtest3	-10MHz	-53.80	-42.2	PASS
1	9888	1977.6	Subtest3	-5MHz	-40.30	-32.2	PASS
1	9888	1977.6	Subtest3	5MHz	-42.13	-32.2	PASS
1	9888	1977.6	Subtest3	10MHz	-55.44	-42.2	PASS
1	9888	1977.6	Subtest4	-10MHz	-53.16	-42.2	PASS
1	9888	1977.6	Subtest4	-5MHz	-39.19	-32.2	PASS
1	9888	1977.6	Subtest4	5MHz	-40.96	-32.2	PASS
1	9888	1977.6	Subtest4	10MHz	-54.96	-42.2	PASS
8	2712	882.4	Subtest1	-10MHz	-59.31	-42.2	PASS
8	2712	882.4	Subtest1	-5MHz	-44.74	-32.2	PASS
8	2712	882.4	Subtest1	5MHz	-44.61	-32.2	PASS
8	2712	882.4	Subtest1	10MHz	-56.23	-42.2	PASS
8	2712	882.4	Subtest2	-10MHz	-56.50	-42.2	PASS


8	2712	882.4	Subtest2	-5MHz	-44.20	-32.2	PASS
8	2712	882.4	Subtest2	5MHz	-44.49	-32.2	PASS
8	2712	882.4	Subtest2	10MHz	-54.68	-42.2	PASS
8	2712	882.4	Subtest3	-10MHz	-56.50	-42.2	PASS
8	2712	882.4	Subtest3	-5MHz	-45.35	-32.2	PASS
8	2712	882.4	Subtest3	5MHz	-45.62	-32.2	PASS
8	2712	882.4	Subtest3	10MHz	-54.97	-42.2	PASS
8	2712	882.4	Subtest4	-10MHz	-56.55	-42.2	PASS
8	2712	882.4	Subtest4	-5MHz	-44.20	-32.2	PASS
8	2712	882.4	Subtest4	5MHz	-44.39	-32.2	PASS
8	2712	882.4	Subtest4	10MHz	-54.83	-42.2	PASS
8	2788	897.6	Subtest1	-10MHz	-56.15	-42.2	PASS
8	2788	897.6	Subtest1	-5MHz	-47.62	-32.2	PASS
8	2788	897.6	Subtest1	5MHz	-47.09	-32.2	PASS
8	2788	897.6	Subtest1	10MHz	-57.68	-42.2	PASS
8	2788	897.6	Subtest2	-10MHz	-53.68	-42.2	PASS
8	2788	897.6	Subtest2	-5MHz	-45.96	-32.2	PASS
8	2788	897.6	Subtest2	5MHz	-46.26	-32.2	PASS
8	2788	897.6	Subtest2	10MHz	-55.26	-42.2	PASS
8	2788	897.6	Subtest3	-10MHz	-54.18	-42.2	PASS
8	2788	897.6	Subtest3	-5MHz	-47.34	-32.2	PASS
8	2788	897.6	Subtest3	5MHz	-47.60	-32.2	PASS
8	2788	897.6	Subtest3	10MHz	-55.39	-42.2	PASS
8	2788	897.6	Subtest4	-10MHz	-54.31	-42.2	PASS
8	2788	897.6	Subtest4	-5MHz	-46.88	-32.2	PASS
8	2788	897.6	Subtest4	5MHz	-47.30	-32.2	PASS
8	2788	897.6	Subtest4	10MHz	-55.43	-42.2	PASS
8	2863	912.6	Subtest1	-10MHz	-56.40	-42.2	PASS
8	2863	912.6	Subtest1	-5MHz	-46.96	-32.2	PASS
8	2863	912.6	Subtest1	5MHz	-47.57	-32.2	PASS
8	2863	912.6	Subtest1	10MHz	-60.45	-42.2	PASS
8	2863	912.6	Subtest2	-10MHz	-54.64	-42.2	PASS
8	2863	912.6	Subtest2	-5MHz	-46.23	-32.2	PASS
8	2863	912.6	Subtest2	5MHz	-46.74	-32.2	PASS
8	2863	912.6	Subtest2	10MHz	-57.61	-42.2	PASS
8	2863	912.6	Subtest3	-10MHz	-54.18	-42.2	PASS
8	2863	912.6	Subtest3	-5MHz	-46.69	-32.2	PASS
8	2863	912.6	Subtest3	5MHz	-46.86	-32.2	PASS
8	2863	912.6	Subtest3	10MHz	-57.15	-42.2	PASS
8	2863	912.6	Subtest4	-10MHz	-54.18	-42.2	PASS
8	2863	912.6	Subtest4	-5MHz	-46.02	-32.2	PASS
8	2863	912.6	Subtest4	5MHz	-46.28	-32.2	PASS
8	2863	912.6	Subtest4	10MHz	-57.32	-42.2	PASS

Band1 Channel=9612 Subtest1.png







Band1 Channel=9612 Subtest2.png




Band1 Channel=9612 Subtest3.png




Band1 Channel=9612 Subtest4.png




Band1 Channel=9750 Subtest1.png




Band1 Channel=9750 Subtest2.png




Band1 Channel=9750 Subtest3.png




Band1 Channel=9750 Subtest4.png




Band1 Channel=9888 Subtest1.png




Band1 Channel=9888 Subtest2.png




Band1 Channel=9888 Subtest3.png




Band1 Channel=9888 Subtest4.png




Band8 Channel=2712 Subtest1.png




Band8 Channel=2712 Subtest2.png




Band8 Channel=2712 Subtest3.png



Band8 Channel=2712 Subtest4.png




Band8 Channel=2788 Subtest1.png







Band8 Channel=2788 Subtest2.png




Band8 Channel=2788 Subtest3.png




Band8 Channel=2788 Subtest4.png




Band8 Channel=2863 Subtest1.png




Band8 Channel=2863 Subtest2.png



Band8 Channel=2863 Subtest3.png



Band8 Channel=2863 Subtest4.png



### Clause 4.2.2 HSDPA Transmitter maximum output power

Band	UL Channel	UL Frequency (MHz)	Subtest	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
8	2712	912.6	Subtest1	20.86	18.8	25.7	PASS
8	2712	882.4	Subtest2	21.48	18.8	25.7	PASS
8	2712	882.4	Subtest3	20.71	18.8	25.7	PASS
8	2712	882.4	Subtest4	20.79	18.8	25.7	PASS
8	2788	897.6	Subtest1	21.45	18.8	25.7	PASS
8	2788	897.6	Subtest2	21.21	18.8	25.7	PASS
8	2788	897.6	Subtest3	20.05	18.8	25.7	PASS
8	2788	897.6	Subtest4	20.15	18.8	25.7	PASS
8	2863	912.6	Subtest1	21.72	18.8	25.7	PASS
8	2863	912.6	Subtest2	21.07	18.8	25.7	PASS
8	2863	912.6	Subtest3	20.26	18.8	25.7	PASS
8	2863	912.6	Subtest4	20.37	18.8	25.7	PASS
1	9612	1977.6	Subtest1	22.49	18.8	25.7	PASS
1	9612	1922.4	Subtest2	21.89	18.8	25.7	PASS
1	9612	1922.4	Subtest3	21.08	18.8	25.7	PASS
1	9612	1922.4	Subtest4	21.00	18.8	25.7	PASS
1	9750	1950	Subtest1	21.42	18.8	25.7	PASS
1	9750	1950	Subtest2	20.88	18.8	25.7	PASS
1	9750	1950	Subtest3	20.03	18.8	25.7	PASS

1	9750	1950	Subtest4	19.52	18.8	25.7	PASS
1	9888	1977.6	Subtest1	22.88	18.8	25.7	PASS
1	9888	1977.6	Subtest2	22.17	18.8	25.7	PASS
1	9888	1977.6	Subtest3	21.47	18.8	25.7	PASS
1	9888	1977.6	Subtest4	21.03	18.8	25.7	PASS


#### Clause 4.2.12 HSUPA Transmitter Adjacent Channel Leakage power Ratio (ACLR)

Band	UL Channel	UL Frequency (MHz)	Subtest	Offset (MHz)	Result (dBc)	Limit (dBc)	Verdict
1	9612	1922.4	Subtest1	-10MHz	-55.05	-42.2	PASS
1	9612	1922.4	Subtest1	-5MHz	-44.60	-32.2	PASS
1	9612	1922.4	Subtest1	5MHz	-44.79	-32.2	PASS
1	9612	1922.4	Subtest1	10MHz	-55.16	-42.2	PASS
1	9612	1922.4	Subtest2	-10MHz	-55.45	-42.2	PASS
1	9612	1922.4	Subtest2	-5MHz	-44.86	-32.2	PASS
1	9612	1922.4	Subtest2	5MHz	-45.07	-32.2	PASS
1	9612	1922.4	Subtest2	10MHz	-55.70	-42.2	PASS
1	9612	1922.4	Subtest3	-10MHz	-54.87	-42.2	PASS
1	9612	1922.4	Subtest3	-5MHz	-44.11	-32.2	PASS
1	9612	1922.4	Subtest3	5MHz	-44.37	-32.2	PASS
1	9612	1922.4	Subtest3	10MHz	-54.73	-42.2	PASS
1	9612	1922.4	Subtest4	-10MHz	-56.67	-42.2	PASS
1	9612	1922.4	Subtest4	-5MHz	-45.42	-32.2	PASS
1	9612	1922.4	Subtest4	5MHz	-45.59	-32.2	PASS
1	9612	1922.4	Subtest4	10MHz	-56.70	-42.2	PASS
1	9612	1922.4	Subtest5	-10MHz	-54.74	-42.2	PASS
1	9612	1922.4	Subtest5	-5MHz	-44.46	-32.2	PASS
1	9612	1922.4	Subtest5	5MHz	-44.80	-32.2	PASS
1	9612	1922.4	Subtest5	10MHz	-54.81	-42.2	PASS
1	9750	1950	Subtest1	-10MHz	-54.36	-42.2	PASS
1	9750	1950	Subtest1	-5MHz	-45.45	-32.2	PASS
1	9750	1950	Subtest1	5MHz	-46.00	-32.2	PASS
1	9750	1950	Subtest1	10MHz	-53.90	-42.2	PASS
1	9750	1950	Subtest2	-10MHz	-54.58	-42.2	PASS
1	9750	1950	Subtest2	-5MHz	-45.59	-32.2	PASS
1	9750	1950	Subtest2	5MHz	-46.38	-32.2	PASS
1	9750	1950	Subtest2	10MHz	-54.36	-42.2	PASS
1	9750	1950	Subtest3	-10MHz	-53.75	-42.2	PASS
1	9750	1950	Subtest3	-5MHz	-45.00	-32.2	PASS
1	9750	1950	Subtest3	5MHz	-45.51	-32.2	PASS
1	9750	1950	Subtest3	10MHz	-53.38	-42.2	PASS
1	9750	1950	Subtest4	-10MHz	-55.87	-42.2	PASS
1	9750	1950	Subtest4	-5MHz	-45.99	-32.2	PASS
1	9750	1950	Subtest4	5MHz	-46.80	-32.2	PASS


1	9750	1950	Subtest4	10MHz	-55.23	-42.2	PASS
1	9750	1950	Subtest5	-10MHz	-53.74	-42.2	PASS
1	9750	1950	Subtest5	-5MHz	-45.45	-32.2	PASS
1	9750	1950	Subtest5	5MHz	-45.79	-32.2	PASS
1	9750	1950	Subtest5	10MHz	-53.21	-42.2	PASS
1	9888	1977.6	Subtest1	-10MHz	-53.82	-42.2	PASS
1	9888	1977.6	Subtest1	-5MHz	-39.98	-32.2	PASS
1	9888	1977.6	Subtest1	5MHz	-41.90	-32.2	PASS
1	9888	1977.6	Subtest1	10MHz	-55.08	-42.2	PASS
1	9888	1977.6	Subtest2	-10MHz	-54.25	-42.2	PASS
1	9888	1977.6	Subtest2	-5MHz	-41.29	-32.2	PASS
1	9888	1977.6	Subtest2	5MHz	-43.12	-32.2	PASS
1	9888	1977.6	Subtest2	10MHz	-55.64	-42.2	PASS
1	9888	1977.6	Subtest3	-10MHz	-54.24	-42.2	PASS
1	9888	1977.6	Subtest3	-5MHz	-41.35	-32.2	PASS
1	9888	1977.6	Subtest3	5MHz	-43.02	-32.2	PASS
1	9888	1977.6	Subtest3	10MHz	-55.33	-42.2	PASS
1	9888	1977.6	Subtest4	-10MHz	-55.02	-42.2	PASS
1	9888	1977.6	Subtest4	-5MHz	-41.55	-32.2	PASS
1	9888	1977.6	Subtest4	5MHz	-43.33	-32.2	PASS
1	9888	1977.6	Subtest4	10MHz	-56.76	-42.2	PASS
1	9888	1977.6	Subtest5	-10MHz	-54.01	-42.2	PASS
1	9888	1977.6	Subtest5	-5MHz	-41.16	-32.2	PASS
1	9888	1977.6	Subtest5	5MHz	-42.92	-32.2	PASS
1	9888	1977.6	Subtest5	10MHz	-55.14	-42.2	PASS
8	2712	882.4	Subtest1	-10MHz	-55.83	-42.2	PASS
8	2712	882.4	Subtest1	-5MHz	-43.68	-32.2	PASS
8	2712	882.4	Subtest1	5MHz	-43.97	-32.2	PASS
8	2712	882.4	Subtest1	10MHz	-54.14	-42.2	PASS
8	2712	882.4	Subtest2	-10MHz	-56.21	-42.2	PASS
8	2712	882.4	Subtest2	-5MHz	-44.41	-32.2	PASS
8	2712	882.4	Subtest2	5MHz	-44.55	-32.2	PASS
8	2712	882.4	Subtest2	10MHz	-54.55	-42.2	PASS
8	2712	882.4	Subtest3	-10MHz	-54.72	-42.2	PASS
8	2712	882.4	Subtest3	-5MHz	-42.91	-32.2	PASS
8	2712	882.4	Subtest3	5MHz	-43.41	-32.2	PASS
8	2712	882.4	Subtest3	10MHz	-53.31	-42.2	PASS
8	2712	882.4	Subtest4	-10MHz	-58.02	-42.2	PASS
8	2712	882.4	Subtest4	-5MHz	-44.46	-32.2	PASS
8	2712	882.4	Subtest4	5MHz	-44.38	-32.2	PASS
8	2712	882.4	Subtest4	10MHz	-55.52	-42.2	PASS
8	2712	882.4	Subtest5	-10MHz	-55.47	-42.2	PASS
8	2712	882.4	Subtest5	-5MHz	-41.65	-32.2	PASS

8	2712	882.4	Subtest5	5MHz	-42.22	-32.2	PASS
8	2712	882.4	Subtest5	10MHz	-53.37	-42.2	PASS
8	2788	897.6	Subtest1	-10MHz	-53.35	-42.2	PASS
8	2788	897.6	Subtest1	-5MHz	-47.16	-32.2	PASS
8	2788	897.6	Subtest1	5MHz	-46.94	-32.2	PASS
8	2788	897.6	Subtest1	10MHz	-54.70	-42.2	PASS
8	2788	897.6	Subtest2	-10MHz	-54.05	-42.2	PASS
8	2788	897.6	Subtest2	-5MHz	-47.49	-32.2	PASS
8	2788	897.6	Subtest2	5MHz	-47.30	-32.2	PASS
8	2788	897.6	Subtest2	10MHz	-55.02	-42.2	PASS
8	2788	897.6	Subtest3	-10MHz	-53.19	-42.2	PASS
8	2788	897.6	Subtest3	-5MHz	-47.42	-32.2	PASS
8	2788	897.6	Subtest3	5MHz	-47.78	-32.2	PASS
8	2788	897.6	Subtest3	10MHz	-54.24	-42.2	PASS
8	2788	897.6	Subtest4	-10MHz	-55.33	-42.2	PASS
8	2788	897.6	Subtest4	-5MHz	-47.50	-32.2	PASS
8	2788	897.6	Subtest4	5MHz	-46.91	-32.2	PASS
8	2788	897.6	Subtest4	10MHz	-56.68	-42.2	PASS
8	2788	897.6	Subtest5	-10MHz	-53.15	-42.2	PASS
8	2788	897.6	Subtest5	-5MHz	-47.19	-32.2	PASS
8	2788	897.6	Subtest5	5MHz	-47.18	-32.2	PASS
8	2788	897.6	Subtest5	10MHz	-54.55	-42.2	PASS
8	2863	912.6	Subtest1	-10MHz	-53.79	-42.2	PASS
8	2863	912.6	Subtest1	-5MHz	-46.22	-32.2	PASS
8	2863	912.6	Subtest1	5MHz	-46.52	-32.2	PASS
8	2863	912.6	Subtest1	10MHz	-56.51	-42.2	PASS
8	2863	912.6	Subtest2	-10MHz	-54.55	-42.2	PASS
8	2863	912.6	Subtest2	-5MHz	-46.72	-32.2	PASS
8	2863	912.6	Subtest2	5MHz	-47.60	-32.2	PASS
8	2863	912.6	Subtest2	10MHz	-56.76	-42.2	PASS
8	2863	912.6	Subtest3	-10MHz	-53.22	-42.2	PASS
8	2863	912.6	Subtest3	-5MHz	-46.78	-32.2	PASS
8	2863	912.6	Subtest3	5MHz	-47.04	-32.2	PASS
8	2863	912.6	Subtest3	10MHz	-55.75	-42.2	PASS
8	2863	912.6	Subtest4	-10MHz	-55.64	-42.2	PASS
8	2863	912.6	Subtest4	-5MHz	-46.82	-32.2	PASS
8	2863	912.6	Subtest4	5MHz	-47.40	-32.2	PASS
8	2863	912.6	Subtest4	10MHz	-58.84	-42.2	PASS
8	2863	912.6	Subtest5	-10MHz	-53.48	-42.2	PASS
8	2863	912.6	Subtest5	-5MHz	-46.52	-32.2	PASS
8	2863	912.6	Subtest5	5MHz	-46.84	-32.2	PASS
8	2863	912.6	Subtest5	10MHz	-56.01	-42.2	PASS

Band1 Channel=9612 Subtest1.png




Band1 Channel=9612 Subtest2.png







Band1 Channel=9612 Subtest3.png




Band1 Channel=9612 Subtest4.png




Band1 Channel=9612 Subtest5.png




Band1 Channel=9750 Subtest1.png




Band1 Channel=9750 Subtest2.png




Band1 Channel=9750 Subtest3.png




Band1 Channel=9750 Subtest4.png




Band1 Channel=9750 Subtest5.png




Band1 Channel=9888 Subtest1.png




Band1 Channel=9888 Subtest2.png




Band1 Channel=9888 Subtest3.png




Band1 Channel=9888 Subtest4.png




Band1 Channel=9888 Subtest5.png




Band8 Channel=2712 Subtest1.png



Band8 Channel=2712 Subtest2.png




Band8 Channel=2712 Subtest3.png







Band8 Channel=2712 Subtest4.png




Band8 Channel=2712 Subtest5.png




Band8 Channel=2788 Subtest1.png




Band8 Channel=2788 Subtest2.png




Band8 Channel=2788 Subtest3.png




Band8 Channel=2788 Subtest4.png




Band8 Channel=2788 Subtest5.png




Band8 Channel=2863 Subtest1.png




Band8 Channel=2863 Subtest2.png




Band8 Channel=2863 Subtest3.png



Band8 Channel=2863 Subtest4.png



Band8 Channel=2863 Subtest5.png



**Clause 4.2.2 HSUPA Transmitter maximum output power**

Band	UL Channel	UL Frequency (MHz)	Subtest	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
1	9612	1977.6	Subtest1	21.37	18.8	25.7	PASS
1	9612	1922.4	Subtest2	22.39	18.8	25.7	PASS
1	9612	1922.4	Subtest3	21.19	18.8	25.7	PASS
1	9612	1922.4	Subtest4	22.72	18.8	25.7	PASS
1	9612	1922.4	Subtest5	21.87	18.8	25.7	PASS
1	9750	1950	Subtest1	21.08	18.8	25.7	PASS
1	9750	1950	Subtest2	21.47	18.8	25.7	PASS
1	9750	1950	Subtest3	19.88	18.8	25.7	PASS
1	9750	1950	Subtest4	21.48	18.8	25.7	PASS
1	9750	1950	Subtest5	20.81	18.8	25.7	PASS
1	9888	1977.6	Subtest1	22.58	18.8	25.7	PASS
1	9888	1977.6	Subtest2	22.72	18.8	25.7	PASS
1	9888	1977.6	Subtest3	21.76	18.8	25.7	PASS
1	9888	1977.6	Subtest4	22.88	18.8	25.7	PASS
1	9888	1977.6	Subtest5	22.07	18.8	25.7	PASS
8	2712	912.6	Subtest1	20.28	18.8	25.7	PASS
8	2712	882.4	Subtest2	22.20	18.8	25.7	PASS
8	2712	882.4	Subtest3	20.91	18.8	25.7	PASS
8	2712	882.4	Subtest4	22.30	18.8	25.7	PASS
8	2712	882.4	Subtest5	21.52	18.8	25.7	PASS
8	2788	897.6	Subtest1	21.18	18.8	25.7	PASS
8	2788	897.6	Subtest2	21.41	18.8	25.7	PASS
8	2788	897.6	Subtest3	20.28	18.8	25.7	PASS
8	2788	897.6	Subtest4	21.44	18.8	25.7	PASS
8	2788	897.6	Subtest5	20.86	18.8	25.7	PASS
8	2863	912.6	Subtest1	21.44	18.8	25.7	PASS
8	2863	912.6	Subtest2	21.57	18.8	25.7	PASS
8	2863	912.6	Subtest3	20.61	18.8	25.7	PASS
8	2863	912.6	Subtest4	21.67	18.8	25.7	PASS
8	2863	912.6	Subtest5	21.09	18.8	25.7	PASS