TEST REPORT

REPORT No.: DTIBW20200502-2 Date: 2020-06-16 Page 1 of 9

Applicant Company Name：Shenzhen Huafurui Technology Co., Ltd.

Applicant Company Address：Unit 1401 &1402, 14/F, Jinqi zhigu mansion (No. 4 building of Chongwen Garden), Crossing of the Liuxian street and Tangling road, Taoyuan street, Nanshan district, Shenzhen,P.R. China

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Name	:	Smart Phone
Model No.	:	K30
Trademark	:	HAFURY
Sample Receiving Date	:	April 23, 2020
Testing Period	:	From April 23, 2020 to April 28, 2020
Results	:	Please refer to next page(s).

****

Summary of Test Results:

TEST REQUEST	CONCLUSION
A WEEE Directive 2012/19/EU	**Pass**

****

Signed for and on behalf of
DTI

Approved by: Tommy Jiang
lab manager

TEST REPORT

1.General Information

Country of Origin	China
Product Name	Smart Phone
Product Model	K30
Product weight	254g
Product size	16.2cm*7.5cm*cm
Category under the WEEE directive	Fifth category（Small equipment）

2.result of reuse /recycling/recovery assessment

Reuse/Recycling/Recovery	Reuse/Recycling (%)	Recovery (%)
Reuse/Recycling/Recovery Targets under the 2012/19/EU WEEE Directive	55	75
Result of Assessment	94.14	94.14
WEEE requirement compliance	OK	OK

****

3.Appearance of the product



****

4. Disassembly Tree



A



B1

B2

B3



B4



B5

****

5. Disassembly Procedure

The disassembly procedure taken here is in accordance with the treatment requirements under the Annex II of the WEEE Directive. In addition, to consider economic and efficiency factors, manual operation and disassembly tools have been applied to separate the components and materials from this product in order to simulate the scenario at the treatment facility, and to achieve the objective that the separated components and materials can be reused, recycled and recovered.

5.1 Connection technique: For this product, the connection technology including as following：

Snap：2 Glue：4 Screw：17

5.2 Disassembly tool: The disassembly tools used for this product show as following：

Disassembly Tool	Cross screwdriver
	Spanner
	Pliers
	Scissors

5.3 Disassembly time:

30 minutes

****

6. Material and Recycling Information

According to the information declared by the applicant company, the material and recycling information for this product is described in the following table. The reuse, recycling and recovery assessment for this product is based upon economic and efficiency considerations, and the waste treatment technologies and equipment that are most frequently available to the market.

Photo No.	Component / Material Composition	Weight (g)	Percent Weight (%)	Reuse/ Recycling (%)	Energy Recovery (%)	Recovery (%)
B1	Metal parts	40.3	15.98	15.38	--	15.38
B2	Nonmetal parts	98.0	38.81	36.34	--	36.34
B3	Battery	62.4	24.71	23.41	--	23.41
B4	PCB	34.7	3.74	12.78	--	12.78
B5	Wire	17.1	6.76	6.23	--	6.23
Total		252.5	100	94.14	--	94.14

Note:

-Due to their insignificant weight and the difficulty of their separation in a manual operation, solder, paint and printing materials are not included in this assessment. Plastic containing brominated flame retardants is not assessed in the list.

- All data results in this report are from report: DTIBW20200269-2.

****

7. Recycling and Recovery Rate Calculation

Reuse Recycling& Recovery Rate using in the report are calculated as following formulas：

$$\text{Reuse \& Recycling Rate (\%)} = \frac{\text{Reuse \& Recycling Weight}}{\text{Product Total Weight}}$$

$$\text{Recovery Rate (\%)} = \frac{\text{Reuse \& Recycling Weight + Energy Recovery Weight}}{\text{Product Total Weight}}$$

Total weigh of the product is including the main product and accessories.

****

8. ANNEX II of WEEE Directive

Selective treatment for materials and components of waste electrical and electronic equipment:

- Polychlorinated biphenyls (PCB) containing capacitors in accordance with Council Directive 96/59/EC of 16 September 1996 on the disposal of polychlorinated biphenyls and polychlorinated terphenyls (PCB/PCT) (1),
- Mercury containing components, such as switches or backlighting lamps,
- Batteries
- Printed circuit boards of mobile phones generally, and of other devices if the surface of the printed circuit board is greater than 10 square centimetres,
- Toner cartridges, liquid and pasty, as well as colour toner,
- Plastic containing brominated flame retardants,
- Asbestos waste and components which contain asbestos,
- Cathode ray tubes,
- Chlorofluorocarbons (CFC), hydrochlorofluorocarbons (HCFC) or hydrofluorocarbons (HFC), hydrocarbons (HC),

  Gas discharge lamps,
- Liquid crystal displays (together with their casing where appropriate) of a surface greater than 100 square centimeters and all those back-lighted with gas discharge lamps,
- External electric cables,
- Components containing refractory ceramic fibres as described in Commission Directive 97/69/EC of 5 December 1997 adapting to technical progress Council Directive 67/548/EEC relating to the classification, packaging and labelling of dangerous substances ,
- Components containing radioactive substances with the exception of components that are below the exemption thresholds set in Article 3 of and Annex I to Council Directive 96/29/Euratom of 13 May 1996 laying down basic safety standards for the protection of the health of workers and the general public against the dangers arising from ionising radiation ,
- Electrolyte capacitors containing substances of concern (height > 25 mm, diameter > 25 mm or proportionately similar volume)

****

9. Recommendations for WEEE Directive Compliance

- In order to avoid the product not meeting the reuse/recycling/recovery targets regulated under the WEEE Directive and the regulations of EU countries, the applicant company should, when selecting material and components design, consider they can be easy to reuse and recycle. This consideration will lessen the impact of the required international environmental directives and also improve the product's competitiveness.
- It is recommended that the applicant company, when designing new product, especially where components and materials have a large weight ratio, should consider using recyclable materials in order to increase the product's reuse/recycling/recover ratio.
- The product should apply to the RoHS Directive (Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronics equipment). The hazardous substance specification in the Directive should be controlled in the homogenous material of this product.
- If a product has changed its product design, or materials or components employed, then the product should be reassessed and retested in accordance with the WEEE Directive for reuse/recycling/recovery assessment and RoHS for restricted/banned substances requirements.

*** End of Report ***